




Evaporator IW-10

The IW-10 unit frees up the overhead compartment where traditional evaporators are located. The IW-10 evaporator can also be matched with other MCC components to

provide a complete air conditioning system that meets your exact vehicle size, operating mode and climate.




Features

- Lightweight aluminum construction
- Flexible mounting configurations
- Integrated motor cover panel for ease of service
- Enhanced coils for maximum cooling capacity
- Flush mount installation provides maximum head clearance and clean OEM appearance
- Easy access return air filter helps to reduce service time
- Flat or formed ABS cover
- Covers available in white or gray

Evaporator IW-10

MCC Evaporators



Technical Data

Cooling capacity	55000 Btu/hr (16.1 kW) IMACA ^[1]	20580 Btu/hr (6.87 kW) ARI ^[2]
Air flow	1300 CFM (2208.7 m ³)	
Refrigerant	R134a	
Length	43.30" (1100 mm)	
Width	7.00" (177.8 mm)	
Height	10.19" (25.9 mm)	
Weight	32 lbs (14.5 kg)	
Condensate drain connection	½" (12.7 mm) OD	
Max amperage requirement	23.7 A @ 13.5 V dc (High Speed)	
Voltage	12 or 24 VDC	
Cover color	Snow White or Dove Gray	

[1] IMACA conditions: 100°F (38°C) / 90°F (32°C) / 50% RH

[2] ARI conditions: 95°F (35°C) / 80°F (27°C) / 50% RH

