



[22MM], 35Bar, SAE J2064 Type E	Mobile Climate Control	<i>FlexCLIK</i> [®] xxxxxxxxxx #16 [22MM], 35Bar, SAE
[16MM], 35Bar, SAE J2064 Type E	Mobile Climate Control	<i>FlexCLIK</i> [®] xxxxxxxxxx #12 [16MM], 35Bar, SAE
[13MM], 35Bar, SAE J2064 Type E	Mobile Climate Control	<i>FlexCLIK</i> [®] xxxxxxxx #10 [13MM], 35Bar, SAE
[10MM], 35Bar, SAE J2064 Type E	Mobile Climate Control	<i>FlexCLIK</i> [®] xxxxxxxxxx #8 [10MM], 35Bar, SAE
Mobile Climate Control	<i>FlexCLIK</i> [®]	58-62192-00 #6 [8MM], 35 Bar, SAE J2064 Type E

**SERVICE PARTS LIST
AND
ASSEMBLY INSTRUCTIONS**
for
"FlexCLIK" Hose & Fittings

T-352PL

REV. 11/2012



TABLE OF CONTENTS

1	INTRODUCTION	ii
2	ORDERING INSTRUCTIONS	ii
3	GENERAL NOTES	ii
	FlexCLIK ASSEMBLY TOOLS	1
	FlexCLIK - ASSEMBLY TOOLS	2
	FlexCLIK HOSE-FITTING ASSEMBLY INSTRUCTIONS	3
	FlexCLIK FITTINGS & Quick-CLICK CROSS-REFERENCE	10
	FlexCLIK - CROSS REFERENCE - FlexCLIK & Quick-CLICK	10
	FlexCLIK - KITTED PARTS	13
	FlexCLIK FITTINGS	14
	O-RING PILOT THREAD SIZES	14
	FITTING 40-62101 90 Degree Female O-Ring Low Side Port	15
	FITTING, 40-62102, TEE	15
	FITTING, 40-62103, 90 DEGREE FEMALE O-RING	16
	FITTING, 40-62112, HOSE SPLICER, WITH 1/4 SCHRADER	16
	FITTING, 40-62127, "Y"	17
	FITTING, 40-62128, HOSE SPLICER	18
	FITTING, 40-62130, 45 DEGREE MALE O-RING	18
	FITTING, 40-62131, 90 DEGREE SPLICER	19
	FITTING, 40-62136, GM BLOCK	19
	FITTING, 40-64073, 90 DEGREE FEMALE FLARE TO FLX HOSE	20
	FITTING, 40-64074 STRAIGHT, FEMALE O-RING	20
	FITTING, 40-64075, 90 DEGREE FEMALE O-RING	21
	FITTING, 40-64080 90 DEGREE MALE O-RING	22
	FITTING, 40-64081 STRAIGHT MALE O-RING	22
	FITTING, 40-64082 STRAIGHT, MALE O-RING WITH HIGH SIDE ACCESS	23
	FITTING, 40-64084, STRAIGHT	23
	FITTING, 40-64089 STRAIGHT, MALE INSERT O-RING	24
	FITTING, 40-64092, 90 DEGREE FEMALE O-RING WITH 1/4 SCHRADER	24
	FITTING, 40-64094, 90 DEGREE FEMALE O-RING SEAL	25
	FITTING, 40-64095, SPLICER, WITH HIGH-SIDE ACCESS	25
	FITTING, 40-64106, 45 DEGREE FEMALE O-RING	26
	FITTING, 40-64115, SPLICER, WITH LOW-SIDE ACCESS	26
	FlexCLIK HOSE - CLAMPS - CAGES & O-RINGS	27
	HOSE, FLEXCLIK	27
	HOSE CLAMPS / CAGE KITS- FlexCLIK	27
	HOSE CLAMPS - FlexCLIK	28
	CAGE, FlexCLIK	28
	O-RING, FlexCLIK	28



INTRODUCTION

1 INTRODUCTION

This Manual identifies service replacement parts for Mobile Climate Control FlexCLIK hose and fittings, along with Assembly Instructions.

MCC FlexCLIK hose is color-coded for ease of identification of hose and fitting assemblies.

BLUE: #12 (16MM) and #16 (22MM) Hose

RED: #10 (13MM) Hose

GREEN: #8 (10MM) Hose

BLACK: #6 (8MM) Hose

2 ORDERING INSTRUCTIONS

All orders and inquiries for parts must include: Unit Part Number and description of part as shown on list and quantity required. Parts can be ordered by going to the following website:

www.mcc-hvac.com

3 GENERAL NOTES

To find replacement parts, determine major group in which replacement part is located. Consult table of

contents for the appropriate page for the illustrated breakdown of the replacement part. The following letter designations are used to classify parts throughout this list.

A/R *As Required*

NSA *Not Stock Assembly* - Order components listed under the assembly.

NSI *Not Stock Item*

NSS *Not Sold Separately* - Order next higher assembly or kit.

P-- *Suffix P--* added to part number means part is available in packaged quantity only.

PL *Purchase Locally.*

SST *Stainless Steel* - 300 Series unless otherwise specified.

SV *Suffix SV* added to part number designates service replacement part.

NS *Not Shown* on illustration.



CAUTION

Special care should be taken when selecting the proper refrigerant hose and fittings. The information contained in this manual is provided as a general guide to assist in making the appropriate product selection. This manual does not address every parameter that must be considered when selecting a product. The user must make the final product selection in consideration of the user's unique requirements.

Additionally, special care must be taken when working with refrigerant systems. Sudden escape of refrigerant gases may result in blindness or severe injury. Mobile Climate Control recommends adherence to the guidelines and general practices as defined in SAE J2211 for the service and containment of HFC-134a, as well as all applicable EPA guidelines and procedures concerning the service of refrigerant systems.



WARNING

Failure to follow these assembly instructions and/or the use of MCC FlexCLIK hose with fittings supplied by other manufacturers may result in unreliable and unsafe hose assemblies, which may result in sudden or unintended release of refrigerant gases. Personal injury and/or violations of EPA regulations may occur as a consequence.



SECTION 1

FlexCLIK ASSEMBLY TOOLS




Part Number	Description
07-00507-00	MCC FlexCLIK System Installation Kit






FlexCLIK - ASSEMBLY TOOLS



Part Number	Description
07-00508-00	Ratching Connecting Tool for #16 Hose
07-00467-00	Connecting Tool (Pliers)
AC101-708	Hose Cutter Tool
AC101-711	Hose Cutter Replacement Blade
07-00507-00	MCC FlexCLIK System Installation Kit



Part Number	Description
Y03-00001-00	Core Access Tool (High & Low Access Fittings)



Item	Part Number	Description	Qty
1	Y27-00047-00	Access Core, R-134a Low Side	1
	Y27-00047-01	Access Core, R-134a High Side	1
2	Y27-00048-00	Cap, Access Port, R-134a Low Side	1
3	Y27-00048-01	Cap, Access Port, R-134a High Side	1



SECTION 2

FlexCLIK HOSE-FITTING ASSEMBLY INSTRUCTIONS

The FlexCLIK System is designed for assembly with FlexCLIK multi-refrigerant hose. Its engineered connection exceeds SAE J2064 and has been vibration and impulse tested. The benefits of FlexCLIK are virtually endless:

- No Guess Work
- No leaking Crimps
- No power supply needed
- As easy to use as a pair of pliers
- Easy to use in confined areas

FlexCLIK System Components Are Simple To Identify, Order And Use.


CHECKLIST

- Pliers (07-00467-00)
- Cutting Tool (AC101-708)
- Refrigerant oil compatible with refrigeration or A/C system
- FlexCLIK refrigerant hose
- FlexCLIK Nipple assembly
- Appropriately sized clips and cage

NOTE: The two black O-Rings on the FlexCLIK nipple assemblies are of a specific rubber compound and size. For safety purposes, FlexCLIK specific O-Rings must be used.



FlexCLIK - ASSEMBLY INSTRUCTIONS : Continued





FlexCLIK - ASSEMBLY INSTRUCTIONS - Continued:

Step 1: Cut the Hose

Cut the hose to proper length with an appropriate cutting tool.

Be sure the cut is made square to the hose length.




Step 2: Slide on Two Clips

Install two proper-sized clips onto the cut end of the hose.

Orientation of the clips does not affect the performance of the connection. However, for ease of assembly, both clips should have the same orientation.

Note: Failure to slide the clips over the hose at this time will require the clips to be stretched over the hose or fitting later, which may permanently damage the clip.



Step 3: Oil the Nipple

Lubricate the nipple with a generous amount of mineral oil or the A/C system's compressor lubricating oil. This **MUST** be done to lower the force of nipple insertion.




FlexCLIK - ASSEMBLY INSTRUCTIONS - Continued:

Step 4: Insert the Nipple into the Hose

To ensure that the nipple is fully inserted, check the gap between the cut end of the hose and the shoulder of the nipple. Care should be taken to avoid kinking or other damage to the hose during nipple insertion.


NOTE: Be sure to wipe excess oil from the nipple and hose



Step 5: Snap on the Cage

Snap the cage into the groove on the nipple. The arms should extend over the hose length. When the cage has been correctly installed in the cage groove, the cage will be able to rotate in the groove. This step **MUST** be performed to ensure:

1. The clips will be located over the O-Rings on the nipple.
2. The connection will be compatible with the connection's pressure rating



Step 6: Slide the Clips

Slide the clips over the cage arms and into the channels on each arm. **SEE BELOW**





FlexCLIK - ASSEMBLY INSTRUCTIONS - Continued:

Step 7: Close the Clips

Use the FlexCLIK pliers to close the clips. The pliers should be positioned squarely on the clip connection points and should remain square during the closing of the clip. **SEE BELOW**



Nose of the pliers should be firmly seated under the assembly bump and lock latch.


If the pliers are not kept square during closing of the clip, the clasp may have an off-set. Use the pliers to correct the clasp alignment.



Notice: FlexCLIK components should not be reused. For recommendations on cleaning and routing hose assemblies, please consult “Mobile Climate Control Installation Procedures Manual T-311.



FlexCLIK - ASSEMBLY INSTRUCTIONS - Continued:





WARNING

FAILURE TO FOLLOW THESE ASSEMBLY INSTRUCTIONS AND/OR THE USE OF MOBILE CLIMATE CONTROL FlexCLIK HOSE WITH FITTINGS SUPPLIED BY OTHER MANUFACTURERS MAY RESULT IN UNRELIABLE AND UNSAFE HOSE ASSEMBLIES, WHICH MAY RESULT IN SUDDEN OR UNINTENDED ESCAPE OF REFRIGERANT GASES. PERSONAL INJURY AND/OR VIOLATIONS OF EPA REGULATIONS MAY OCCUR AS A CONSEQUENCE.



CAUTION

MOBILE CLIMATE CONTROL RECOMMENDS ADHERENCE TO ALL GUIDELINES, INCLUDING EPA GUIDELINES, CONCERNING THE SERVICE OF AIR CONDITIONING SYSTEMS.



SECTION 3

FlexCLIK FITTINGS & Quick-CLICK CROSS-REFERENCE

FlexCLIK - CROSS REFERENCE - FlexCLIK & Quick-CLICK		
FlexCLIK KITTED PART NUMBER	FITTING DESCRIPTION	Quick-CLICK
40-62101-50	90°, #10 FOR X #10 Hose, FlexCLIK	40-62023-01
40-62101-51	90°, #12 FOR X #12 Hose, FlexCLIK	N/A
40-62101-55	90°, #10 FOR X #12 Hose, FlexCLIK	40-62023-00
40-62102-50	TEE, #8 X #8 X #8 Hose, FlexCLIK	40-62012-00
40-62102-51	TEE, #10 X #10 X #10 Hose, FlexCLIK	40-62012-02
40-62102-52	TEE, #12 X #12 X #12 Hose, FlexCLIK	40-62012-01
40-62103-50	90°, #8 FOR X #10 Hose, W/HSA, FlexCLIK	40-62022-00
40-62103-51	90°, #8 FOR X #8 Hose, W/HSA, FlexCLIK	40-62022-01
40-62112-50	Splicer, #6 Hose, FLX, With 1/4 Inch Schrader	40-60081-02
40-62112-51	Splicer, #8 Hose, FLX, With 1/4 Inch Schrader	40-60081-03
40-62112-52	Splicer, #10 Hose, FLX, With 1/4 Inch Schrader	40-60081-04
40-62112-53	Splicer, #12 Hose, FLX, With 1/4 Inch Schrader	40-60081-05
40-62112-54	Splicer, #16 Hose, FLX, With 1/4 Inch Schrader	N/A
40-62128-53	Splicer, #8 Hose, FlexCLIK	40-60086-03
40-62128-54	Splicer, #10 Hose, FlexCLIK	40-60086-04
40-62128-55	Splicer, #12 Hose, FlexCLIK	40-60086-05
40-62128-56	Splicer, #16 Hose, FlexCLIK	N/A
40-62130-50	45°, #6 MOR X #8 Hose, FlexCLIK	40-60084-06
40-62130-51	45°, #10 MOR X #12 Hose, FlexCLIK	40-60084-05
40-62131-50	90°, Splicer, #8 Hose, FlexCLIK	40-60137-03
40-62131-51	90°, Splicer, #10 Hose, FlexCLIK	40-60137-04
40-62131-52	90°, Splicer, #12 Hose, FlexCLIK	40-60137-05
40-62136-50	90°, GM Block X #10 Hose, FlexCLIK	40-62088-00
40-62136-51	90°, GM Block X #12 Hose, FlexCLIK	40-62089-00
40-64073-50	90°, #6 FFL X #6 Hose, FlexCLIK	40-60079-02
40-64073-51	90°, #6 FFL X #8 Hose, FlexCLIK	N/A
40-64073-52	90°, #8 FFL X #8 Hose, FlexCLIK	40-60079-03
40-64073-53	90°, #10 FFL X #10 Hose, FlexCLIK	40-60079-04
40-64073-54	90°, #10 FFL X #12 Hose, FlexCLIK	40-60079-07
40-64073-55	90°, #12 FFL X #12 Hose, FlexCLIK	40-60079-05
40-64074-50	#6 Straight, FOR X #6 Hose, FlexCLIK	40-60060-02
40-64074-51	#6 Straight, FOR X #8 Hose, FlexCLIK	40-60060-08
40-64074-52	#8 Straight, FOR X #8 Hose, FlexCLIK	40-60060-03
40-64074-53	#8 Straight, FOR X #10 Hose, FlexCLIK	40-60060-06
40-64074-54	#10 Straight, FOR X #10 Hose, FlexCLIK	40-60060-04
40-64074-55	#10 Straight, FOR X #12 Hose, FlexCLIK	40-60060-07
40-64074-56	#12 Straight, FOR X #12 Hose, FlexCLIK	40-60060-05
40-64074-57	#10 Straight, FOR X #8 Hose, FlexCLIK	N/A
40-64074-58	#12 Straight, FOR X #10 Hose, FlexCLIK	N/A
40-64074-59	#10 Straight, FOR X #16 Hose, FlexCLIK	N/A
40-64074-60	#12 Straight, FOR X #16 Hose, FlexCLIK	N/A



FlexCLIK - CROSS REFERENCE - FlexCLIK & Quick-CLICK - Continued:		
FlexCLIK KITTED PART NUMBER	FITTING DESCRIPTION	Quick-CLICK
40-64075-50	90°, #6 FOR X #6 Hose, FlexCLIK	40-60061-02
40-64075-51	90°, #6 FOR X #8 Hose, FlexCLIK	40-60061-08
40-64075-52	90°, #8 FOR X #8 Hose, FlexCLIK	40-60061-03
40-64075-53	90°, #8 FOR X #10 Hose, FlexCLIK	40-60061-06
40-64075-54	90°, #10 FOR X #10 Hose, FlexCLIK	40-60061-04
40-64075-55	90°, #10 FOR X #12 Hose, FlexCLIK	40-60061-07
40-64075-56	90°, #12 FOR X #12 Hose, FlexCLIK	40-60061-05
40-64075-57	90°, #8 FOR X #6 Hose, FlexCLIK	N/A
40-64075-58	90°, #12 FOR X #10 Hose, FlexCLIK	N/A
40-64075-59	90°, #12 FOR X #16 Hose, FlexCLIK	N/A
40-64080-50	90°, #10 MOR X #12 Hose, FlexCLIK	40-60083-07
40-64080-51	90°, #6 MOR X #8 Hose, FlexCLIK	40-60083-08
40-64080-52	90°, #12 MOR X #12 Hose, FlexCLIK	N/A
40-64080-53	90°, #8 MOR X #10 Hose, FlexCLIK	N/A
40-64080-56	90°, #6 MOR X #6 Hose, FlexCLIK	40-60083-02
40-64080-57	90°, #8 MOR X #8 Hose, FlexCLIK	40-60083-03
40-64080-58	90°, #10 MOR X #12 Hose, FlexCLIK	40-60083-04
40-64080-59	90°, #12 MOR X #10 Hose, FlexCLIK	N/A
40-64081-50	Straight, #6 MOR X #8 Hose, FlexCLIK	40-60051-08
40-64081-51	Straight, #10 MOR X #12 Hose, FlexCLIK	40-60051-07
40-64081-52	Straight, #8 MOR X #8 Hose, FlexCLIK	40-60051-03
40-64081-53	Straight, #6 MOR X #6 Hose, FlexCLIK	40-60051-02
40-64081-54	Straight, #10 MOR X #10 Hose, FlexCLIK	40-60051-04
40-64081-55	Straight, #12 MOR X #12 Hose, FlexCLIK	N/A
40-64081-56	Straight, #10 MOR X #16 Hose, FlexCLIK	N/A
40-64081-57	Straight, #12 MOR X #16 Hose, FlexCLIK	N/A
40-64082-50	Straight, #10 MOR X #10 Hose, HS, FlexCLIK	N/A
40-64082-51	Straight, #6 MOR X #6 Hose, HS, FlexCLIK	N/A
40-64082-52	Straight, #8 MOR X #8 Hose, HS, FlexCLIK	N/A
40-64084-50	Straight, #8 FFL X #8 Hose, FlexCLIK	40-60078-03
40-64084-51	Straight, #6 FFL X #8 Hose, FlexCLIK	N/A
40-64084-52	Straight, #12 FFL X #12 Hose, FlexCLIK	40-60078-05
40-64084-53	Straight, #8 FFL X #10 Hose, FlexCLIK	40-60078-06
40-64084-54	Straight, #10 FF X #10 Hose, FlexCLIK	40-60078-04
40-64084-55	Straight, #6 FFL X #6 Hose, FlexCLIK	40-60078-02
40-64084-56	Straight, #10 FFL X #12 Hose, FlexCLIK	40-60078-07
40-64089-50	Straight, #6 MIO X #6 Hose, FlexCLIK	N/A
40-64089-51	Straight, #8 MIO X #8 Hose, FlexCLIK	N/A
40-64089-52	Straight, #10 MIO X #10 Hose, FlexCLIK	N/A
40-64089-53	Straight, #10 MIO X #12 Hose, FlexCLIK	N/A
40-64089-54	Straight, #12 MIO X #12 Hose, FlexCLIK	N/A
40-64092-50	90°, #10 FOR X #10 Hose W/1/4 Schrader, FLK	N/A
40-64092-51	90°, #12 FOR X #12 Hose W/1/4 Schrader, FLK	N/A
40-64094-50	90°, #10 F.Swivel, ORS X #10 Hose, FlexCLIK	40-60048-04




FlexCLIK - CROSS REFERENCE - FlexCLIK & Quick-CLICK - Continued:		
FlexCLIK KITTED PART NUMBER	FITTING DESCRIPTION	Quick-CLICK
40-64094-51	90°, #6 F.Swivel, ORS X #6 Hose, FlexCLIK	40-60048-02
40-64094-52	90°, #8 F.Swivel, ORS X #8 Hose, FlexCLIK	40-60048-03
40-64094-53	90°, #12 F.Swivel, ORS X #12 Hose, FlexCLIK	40-60048-05
40-64094-54	90°, #4 F.Swivel, ORS X #6 Hose, FlexCLIK	40-60048-01
40-64094-55	90°, #10 F.Swivel, ORS X #12 Hose, FlexCLIK	40-60048-07
40-64094-56	90°, #8 F.Swivel, ORS X #6 Hose, FlexCLIK	40-60048-10
40-64094-57	90°, #10 F.Swivel, ORS X #16 Hose, FlexCLIK	N/A
40-64094-58	90°, #10 F.Swivel, ORS X #12 Hose, FlexCLIK	N/A
40-64095-50	Splicer, #10 Hose, FlexCLIK, W/High Side Access	40-60059-04
40-64095-51	Splicer, #6 Hose, FlexCLIK, W/High Side Access	40-60059-02
40-64095-52	Splicer, #8 Hose, FlexCLIK, W/High Side Access	40-60059-03
40-64106-50	45°, #12 FOR X #12 Hose, FlexCLIK	40-60050-05
40-64106-51	45°, #6 FOR X #6 Hose, FlexCLIK	40-60050-02
40-64106-52	45°, #6 FOR X #8 Hose, FlexCLIK	40-60050-08
40-64106-53	45°, #8 FOR X #8 Hose, FlexCLIK	40-60050-03
40-64106-54	45°, #8 FOR X #10 Hose, FlexCLIK	40-60050-06
40-64106-55	45°, #10 FOR X #10 Hose, FlexCLIK	40-60050-04
40-64106-56	45°, #10 FOR X #12 Hose, FlexCLIK	40-60050-07
40-64106-57	45°, #12 FOR X #16 Hose, FlexCLIK	N/A
40-64106-58	45°, #10 FOR X #16 Hose, FlexCLIK	N/A
40-64115-50	Splicer, #10 Hose, FlexCLIK, W/Low Side Access	40-60058-04
40-64115-51	Splicer, #12 Hose, FlexCLIK, W/Low Side Access	40-60058-05
40-64115-52	Splicer, #16 Hose, FlexCLIK, W/Low Side Access	40-64115-52

FlexCLIK FITTING PART NUMBER - KITTED

Fitting Assemblies are sold as a Kit. The FlexCLIK Fitting Kit will include: (1) fitting, (2) FlexCLIK Hose Clamps (Clips) & (1) Cage, all in an MCC pre-printed plastic bag with Bar Code, hose fitting color strip, date code and fitting description (See example below).



FlexCLIK - KITTED PARTS



PRE-PRINTED LABEL

PART NUMBER BAR-CODE

PART NUMBER


PART DESCRIPTION

MCC Mobile Climate Control
Package Qty
EA
40-64075-54
FTG KIT, 90DEG, 10FOR X10H FLXCL
Made In: UNITED STATES

SECTION 4

FlexCLIK FITTINGS

O-RING PILOT THREAD SIZES




Male Thread O.D (Inch)					Female Thread I.D. (Inch)		
Inch Size	Dash Size	Thread	Fraction	Decimal	Thread	Fraction	Decimal
3/8	06	5/8-18	5/8	.62	5/8-18	9/16	.57
1/2	08	3/4-18	3/4	.75	3/4-16	11/16	.69
5/8	10	7/8-18	7/8	.87	7/8-14	13/16	.81
3/4	12	1-1/16-16	1-1/16	1.06	11/16-14	1	.99

Long Pilot				Short Pilot	
Inch Size	Nom. Tube Size	Bead O.D (Inch)	Pilot Length	Bead O.D. (Inch)	Pilot Length
3/8	06	.52	.28	.52	.19
1/2	08	.64	.39	.64	.19
5/8	10	.77	.39	.77	.19
3/4	12	.91	.39	.91	.19

This connection is common to air conditioning systems, both in vehicle and commercial applications. Both the male and female halves of the connections have a pilot, either long or short. The seal takes place by compressing an O-Ring adjacent to the bead of the tube. The threads hold the connection together mechanically.




FITING 40-62101 90 Degree Female O-Ring Low Side Port



Kit Part Number	Description
40-62101-50	Fitting, 90°, #10 FOR (Short Pilot) W/R134a Low Side Port X #10 Hose
40-62101-51	Fitting, 90°, #12 FOR (Short Pilot) W/R134a Low Side Port X #12 Hose
40-62101-55	Fitting, 90°, #10 FOR (Short Pilot) W/R134a Low Side Port X #12 Hose


FITTING, 40-62102, TEE



Kit Part Number	Description
40-62102-50	Fitting, TEE, #8 X #8 X #8 Hose, FlexCLIK
40-62102-51	Fitting, TEE, #10 X #10 X #10 Hose, FlexCLIK
40-62102-52	Fitting, TEE, #12 X #12 X #12 Hose, FlexCLIK




FITTING, 40-62103, 90 DEGREE FEMALE O-RING



Kit Part Number	Description
40-62103-50	Fitting, 90°, #8 FOR With R134a High Side Port X #10 Hose
40-62103-51	Fitting, 90°, #8 FOR With R134a High Side Port X #8 Hose,


FITTING, 40-62112, HOSE SPLICER, WITH 1/4 SCHRADER



Kit Part Number	Description
40-62112-50	Fitting, Splicer, #6 Hose, FlexCLIK Hose, With 1/4 Inch Schrader
40-62112-51	Fitting, Splicer, #8 Hose, FlexCLIK Hose, With 1/4 Inch Schrader
40-62112-52	Fitting, Splicer, #10 Hose, FlexCLIK Hose, With 1/4 Inch Schrader
40-62112-53	Fitting, Splicer, #12 Hose, FlexCLIK Hose, With 1/4 Inch Schrader
40-62112-54	Fitting, Splicer, #16 Hose, FlexCLIK Hose, With 1/4 Inch Schrader




FITTING, 40-62127, "Y"



Kit Part Number	Description
40-62127-50	Fitting, "Y", 8(A) x 8(A) to 8(B), FlexCLIK Hose
40-62127-51	Fitting, "Y", 10(A) x 10(A) to 10(B), FlexCLIK Hose
40-62127-52	Fitting, "Y", 10(A) x 10(A) to 12(B), FlexCLIK Hose
40-62127-53	Fitting, "Y", 12(A) x 12(A) to 12(B), FlexCLIK Hose
40-62127-54	Fitting, "Y", 12(A) x 12(A) to 16(B), FlexCLIK Hose




FITTING, 40-62128, HOSE SPLICER



Kit Part Number	Description
40-62128-52	Fitting, Splicer, #6 Hose, FlexCLIK Hose
40-62128-53	Fitting, Splicer, #8 Hose, FlexCLIK Hose
40-62128-54	Fitting, Splicer, #10 Hose, FlexCLIK Hose
40-62128-55	Fitting, Splicer, #12 Hose, FlexCLIK Hose
40-62128-56	Fitting, Splicer, #16 Hose, FlexCLIK Hose


FITTING, 40-62130, 45 DEGREE MALE O-RING



Kit Part Number	Description
40-62130-50	Fitting, 45°, #6 MOR X #8 Hose, FlexCLIK
40-62130-51	Fitting, 45°, #10 MOR X #12 Hose, FlexCLIK




FITTING, 40-62131, 90 DEGREE SPLICER



Kit Part Number	Description
40-62131-50	Fitting, 90°, Splicer, #8 Hose, FlexCLIK
40-62131-51	Fitting, 90°, Splicer, #10 Hose, FlexCLIK
40-62131-52	Fitting, 90°, Splicer, #12 Hose, FlexCLIK


FITTING, 40-62136, GM BLOCK



Kit Part Number	Description
40-62136-50	Fitting, 90°, GM Block Style X #10 Hose, FlexCLIK
40-62136-51	Fitting, 90°, GM Block Style X #12 Hose, FlexCLIK




FITTING, 40-64073, 90 DEGREE FEMALE FLARE TO FLX HOSE



Kit Part Number	Description
40-64073-50	Fitting, 90°, #6 Female SAE 45° Flare X #6 Hose, FlexCLIK
40-64073-51	Fitting, 90°, #6 Female SAE 45° Flare X #8 Hose, FlexCLIK
40-64073-52	Fitting, 90°, #8 Female SAE 45° Flare X #8 Hose, FlexCLIK
40-64073-53	Fitting, 90°, #10 Female SAE 45° Flare X #10 Hose, FlexCLIK
40-64073-54	Fitting, 90°, #10 Female SAE 45° Flare X #12 Hose, FlexCLIK
40-64073-55	Fitting, 90°, #12 Female SAE 45° Flare X #12 Hose, FlexCLIK


FITTING, 40-64074 STRAIGHT, FEMALE O-RING



Kit Part Number	Description
40-64074-50	Fitting, #6 Straight, FOR (Short Pilot) X #6 Hose, FlexCLIK
40-64074-51	Fitting, #6 Straight, FOR (Short Pilot) X #8 Hose, FlexCLIK
40-64074-52	Fitting, #8 Straight, FOR (Short Pilot) X #8 Hose, FlexCLIK
40-64074-53	Fitting, #8 Straight, FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64074-54	Fitting, #10 Straight, FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64074-55	Fitting, #10 Straight, FOR (Short Pilot) X #12 Hose, FlexCLIK
40-64074-56	Fitting, #12 Straight, FOR (Short Pilot) X #12 Hose, FlexCLIK
40-64074-57	Fitting, #10 Straight, FOR (Short Pilot) X #8 Hose, FlexCLIK
40-64074-58	Fitting, #12 Straight, FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64074-59	Fitting, #10 Straight, FOR (Short Pilot) X #16 Hose, FlexCLIK
40-64074-60	Fitting, #12 Straight, FOR (Short Pilot) X #16 Hose, FlexCLIK




FITTING, 40-64075, 90 DEGREE FEMALE O-RING



Kit Part Number	Description
40-64075-50	Fitting, 90°, #6 FOR (Short Pilot) X #6 Hose, FlexCLIK
40-64075-51	Fitting, 90°, #6 FOR (Short Pilot) X #8 Hose, FlexCLIK
40-64075-52	Fitting, 90°, #8 FOR (Short Pilot) X #8 Hose, FlexCLIK
40-64075-53	Fitting, 90°, #8 FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64075-54	Fitting, 90°, #10 FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64075-55	Fitting, 90°, #10 FOR (Short Pilot) X #12 Hose, FlexCLIK
40-64075-56	Fitting, 90°, #12 FOR (Short Pilot) X #12 Hose, FlexCLIK
40-64075-57	Fitting, 90°, #8 FOR (Short Pilot) X #6 Hose, FlexCLIK
40-64075-58	Fitting, 90°, #12 FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64075-59	Fitting, 90°, #12 FOR (Short Pilot) X #16 Hose, FlexCLIK




FITTING, 40-64080 90 DEGREE MALE O-RING



Kit Part Number	Description
40-64080-50	Fitting, 90°, #10 MOR (Short Pilot) X #12 Hose, FlexCLIK
40-64080-51	Fitting, 90°, #6 MOR (Short Pilot) X #8 Hose, FlexCLIK
40-64080-52	Fitting, 90°, #12 MOR (Short Pilot) X #12 Hose, FlexCLIK
40-64080-53	Fitting, 90°, #8 MOR (Short Pilot) X #10 Hose, FlexCLIK
40-64080-56	Fitting, 90°, #6 MOR (Short Pilot) X #6 Hose, FlexCLIK
40-64080-57	Fitting, 90°, #8 MOR (Short Pilot) X #8 Hose, FlexCLIK
40-64080-58	Fitting, 90°, #10 MOR (Short Pilot) X #10 Hose, FlexCLIK
40-64080-59	Fitting, 90°, #12 MOR (Short Pilot) X #10 Hose, FlexCLIK


FITTING, 40-64081 STRAIGHT MALE O-RING



Kit Part Number	Description
40-64081-50	Fitting, Straight, #6 MOR (Short Pilot) X #8 Hose, FlexCLIK
40-64081-51	Fitting, Straight, #10 MOR (Short Pilot) X #12 Hose, FlexCLIK
40-64081-52	Fitting, Straight, #8 MOR (Short Pilot) X #8 Hose, FlexCLIK
40-64081-53	Fitting, Straight, #6 MOR (Short Pilot) X #6 Hose, FlexCLIK
40-64081-54	Fitting, Straight, #10 MOR (Short Pilot) X #10 Hose, FlexCLIK
40-64081-55	Fitting, Straight, #12 MOR (Short Pilot) X #12 Hose, FlexCLIK
40-64081-56	Fitting, Straight, #10 MOR (Short Pilot) X #16 Hose, FlexCLIK
40-64081-57	Fitting, Straight, #12 MOR (Short Pilot) X #16 Hose, FlexCLIK




FITTING, 40-64082 STRAIGHT, MALE O-RING WITH HIGH SIDE ACCESS



Kit Part Number	Description
40-64082-50	Fitting, Straight, #10 MOR (Short Pilot) X #10 Hose, HS, FlexCLIK
40-64082-51	Fitting, Straight, #6 MOR (Short Pilot) X #6 Hose, HS, FlexCLIK
40-64082-52	Fitting, Straight, #8 MOR (Short Pilot) X #8 Hose, HS, FlexCLIK


FITTING, 40-64084, STRAIGHT



Kit Part Number	Description
40-64084-50	Fitting, Straight, #8 Female SAE 45° Flare X #8 Hose, FlexCLIK
40-64084-51	Fitting, Straight, #6 Female SAE 45° Flare X #8 Hose, FlexCLIK
40-64084-52	Fitting, Straight, #12 Female SAE 45° Flare X #12 Hose, FlexCLIK
40-64084-53	Fitting, Straight, #8 Female SAE 45° Flare X #10 Hose, FlexCLIK
40-64084-54	Fitting, Straight, #10 Female SAE 45° Flare X #10 Hose, FlexCLIK
40-64084-55	Fitting, Straight, #6 Female SAE 45° Flare X #6 Hose, FlexCLIK
40-64084-56	Fitting, Straight, #10 Female SAE 45° Flare X #12 Hose, FlexCLIK




FITTING, 40-64089 STRAIGHT, MALE INSERT O-RING



Kit Part Number	Description
40-64089-50	Fitting, Straight, #6 Male Insert O-Ring X #6 Hose, FlexCLIK
40-64089-51	Fitting, Straight, #8 Male Insert O-Ring X #8 Hose, FlexCLIK
40-64089-52	Fitting, Straight, #10 Male Insert O-Ring X #10 Hose, FlexCLIK
40-64089-53	Fitting, Straight, #10 Male Insert O-Ring X #12 Hose, FlexCLIK
40-64089-54	Fitting, Straight, #12 Male Insert O-Ring X #12 Hose, FlexCLIK


FITTING, 40-64092, 90 DEGREE FEMALE O-RING WITH 1/4 SCHRADER



Kit Part Number	Description
40-64092-50	Ftg., 90°, #10 FOR (Short Pilot) X #10 Hose W/1/4" SAE Schrader
40-64092-51	Ftg., 90°, #12 FOR (Short Pilot) X #12 Hose W/1/4" SAE Schrader




FITTING, 40-64094, 90 DEGREE FEMALE O-RING SEAL



Kit Part Number	Description
40-64094-50	Fitting, 90°, #10 ORS, Female Swivel X #10 Hose, FlexCLIK
40-64094-51	Fitting, 90°, #6 ORS, Female Swivel X #6 Hose, FlexCLIK
40-64094-52	Fitting, 90°, #8 ORS, Female Swivel X #8 Hose, FlexCLIK
40-64094-53	Fitting, 90°, #12 ORS, Female Swivel X #12 Hose, FlexCLIK
40-64094-54	Fitting, 90°, #4 ORS, Female Swivel X #6 Hose, FlexCLIK
40-64094-55	Fitting, 90°, #10 ORS, Female Swivel X #12 Hose, FlexCLIK
40-64094-56	Fitting, 90°, #8 ORS, Female Swivel X #6 Hose, FlexCLIK
40-64094-57	Fitting, 90°, #10 ORS, Female Swivel X #16 Hose, FlexCLIK
40-64094-58	Fitting, 90°, #10 ORS, Female Swivel X #12 Hose, FlexCLIK


FITTING, 40-64095, SPLICER, WITH HIGH-SIDE ACCESS



Kit Part Number	Description
40-64095-50	Fitting, Splicer, #10 Hose, FlexCLIK, With High Side R134a Port
40-64095-51	Fitting, Splicer, #6 Hose, FlexCLIK, With High Side R134a Port
40-64095-52	Fitting, Splicer, #8 Hose, FlexCLIK, With High Side R134a Port




FITTING, 40-64106, 45 DEGREE FEMALE O-RING



Kit Part Number	Description
40-64106-50	Fitting, 45°, #12 FOR (Short Pilot) X #12 Hose, FlexCLIK
40-64106-51	Fitting, 45°, #6 FOR (Short Pilot) X #6 Hose, FlexCLIK
40-64106-52	Fitting, 45°, #6 FOR (Short Pilot) X #8 Hose, FlexCLIK
40-64106-53	Fitting, 45°, #8 FOR (Short Pilot) X #8 Hose, FlexCLIK
40-64106-54	Fitting, 45°, #8 FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64106-55	Fitting, 45°, #10 FOR (Short Pilot) X #10 Hose, FlexCLIK
40-64106-56	Fitting, 45°, #10 FOR (Short Pilot) X #12 Hose, FlexCLIK
40-64106-57	Fitting, 45°, #12 FOR (Short Pilot) X #16 Hose, FlexCLIK
40-64106-58	Fitting, 45°, #10 FOR (Short Pilot) X #16 Hose, FlexCLIK

FITTING, 40-64115, SPLICER, WITH LOW-SIDE ACCESS




Kit Part Number	Description
40-64115-50	Fitting, Splicer, #10 Hose, FlexCLIK, With R134a Low Side Port
40-64115-51	Fitting, Splicer, #12 Hose, FlexCLIK, With R134a Low Side Port
40-64115-52	Fitting, Splicer, #16 Hose, FlexCLIK, With R134a Low Side Port




SECTION 5

FlexCLIK HOSE - CLAMPS - CAGES & O-RINGS



58-64105-90	FlexCLIK Hose, (Black) (5/16) #6 x 50 Foot (8.1 MM I.D X 15.2 MM O. D.)
58-64105-13	FlexCLIK Hose, (Green)(13/32) #8 x 50 Foot (10.7 MM I.D X 18.2 MM O. D.)
58-64105-24	FlexCLIK Hose, (Red) (1/2) #10 x 50 Foot (13.2 MM I.D X 20.3 MM O. D.)
58-64105-34	FlexCLIK Hose, (Blue) (5/8) #12 x 50 Foot (16.3 MM I.D X 25.1 MM O. D.)
58-64105-44	FlexCLIK Hose, (Blue) (7/8) #16 x 50 Foot (16.3 MM I.D X 25.1 MM O. D.)


HOSE CLAMPS / CAGE KITS- FlexCLIK



44-64008-50	Clamp/Cage Kit, #6, FlexCLIK,
44-64008-51	Clamp/Cage Kit, #8, FlexCLIK,
44-64008-52	Clamp/Cage Kit, #10, FlexCLIK,
44-64008-53	Clamp/Cage Kit, #12, FlexCLIK,
44-64008-54	Clamp/Cage Kit, #16, FlexCLIK,



HOSE CLAMPS - FlexCLIK




OPEN



CLOSED

44-64009-00,-01,-02, -03



OPEN




CLOSED

44-64009-04


44-64009-00	Clamp, FlexCLIK, #6 (CLIC 86 N 150)
44-64009-01	Clamp, FlexCLIK, #8 (CLIC 86 N 175)
44-64009-02	Clamp, FlexCLIK, #10 (CLIC 86 N 200)
44-64009-03	Clamp, FlexCLIK, #12 (CLIC 86 N 245)
44-64009-04	Clamp, FlexCLIK, #16 (CLIC E N 285)

CAGE, FlexCLIK



44-64008-00	Clamp, Cage, FlexCLIK, #6
44-64008-01	Clamp, Cage, FlexCLIK, #8
44-64008-02	Clamp, Cage, FlexCLIK, #10
44-64008-03	Clamp, Cage, FlexCLIK, #12
44-64008-04	Clamp, Cage, FlexCLIK, #16

O-RING, FlexCLIK



42-62157-00	O-Ring, FlexCLIK Nipple, Hose End, #4
42-62157-01	O-Ring, FlexCLIK Nipple, Hose End, #6
42-62157-02	O-Ring, FlexCLIK Nipple, Hose End, #8
42-62157-03	O-Ring, FlexCLIK Nipple, Hose End, #10
42-62157-04	O-Ring, FlexCLIK Nipple, Hose End, #12
42-62157-05	O-Ring, FlexCLIK Nipple, Hose End, #16



INDEX

PART #	PAGE #	PART #	PAGE #
0			
07-00507-00	1, 2	40-60060-06	10
07-00467-00	2	40-60060-07	10
07-00508-00	2	40-60060-08	10
		40-60061-02	11
		40-60061-03	11
		40-60061-04	11
		40-60061-05	11
		40-60061-06	11
		40-60061-07	11
		40-60061-08	11
		40-60078-02	11
		40-60078-03	11
		40-60078-04	11
		40-60078-05	11
		40-60078-06	11
		40-60078-07	11
		40-60079-02	10
		40-60079-03	10
		40-60079-04	10
		40-60079-05	10
		40-60079-07	10
		40-60081-02	10
		40-60081-03	10
		40-60081-04	10
		40-60081-05	10
		40-60083-02	11
		40-60083-03	11
		40-60083-04	11
		40-60083-07	11
		40-60083-08	11
		40-60084-05	10
		40-60084-06	10
		40-60086-03	10
		40-60086-04	10
		40-60086-05	10
		40-60137-03	10
4			
40-60048-01	12		
40-60048-02	12		
40-60048-03	12		
40-60048-04	11		
40-60048-05	12		
40-60048-07	12		
40-60048-10	12		
40-60050-02	12		
40-60050-03	12		
40-60050-04	12		
40-60050-05	12		
40-60050-06	12		
40-60050-07	12		
40-60050-08	12		
40-60051-02	11		
40-60051-03	11		
40-60051-04	11		
40-60051-07	11		
40-60051-08	11		
40-60058-04	12		
40-60058-05	12		
40-60059-02	12		
40-60059-03	12		
40-60059-04	12		
40-60060-02	10		
40-60060-03	10		
40-60060-04	10		
40-60060-05	10		



INDEX

PART #	PAGE #	PART #	PAGE #
40-60137-04	10	40-62131-50	10, 19
40-60137-05	10	40-62131-51	10, 19
40-62012-00	10	40-62131-52	10, 19
40-62012-01	10	40-62136-50	10, 19
40-62012-02	10	40-62136-51	10, 19
40-62022-00	10	40-64073-50	10, 20
40-62022-01	10	40-64073-51	10, 20
40-62023-00	10	40-64073-52	10, 20
40-62023-01	10	40-64073-53	10, 20
40-62088-00	10	40-64073-54	10, 20
40-62089-00	10	40-64073-55	10, 20
40-62101-50	10, 15	40-64074-50	10, 20
40-62101-51	10, 15	40-64074-51	10, 20
40-62101-55	10, 15	40-64074-52	10, 20
40-62102-50	10, 15	40-64074-53	10, 20
40-62102-51	10, 15	40-64074-54	10, 20
40-62102-52	10, 15	40-64074-55	10, 20
40-62103-50	10, 16	40-64074-56	10, 20
40-62103-51	10, 16	40-64074-57	10, 20
40-62112-50	10, 16	40-64074-58	10, 20
40-62112-51	10, 16	40-64074-59	10, 20
40-62112-52	10, 16	40-64074-60	10, 20
40-62112-53	10, 16	40-64075-50	11, 21
40-62112-54	10, 16	40-64075-51	11, 21
40-62127-50	17	40-64075-52	11, 21
40-62127-51	17	40-64075-53	11, 21
40-62127-52	17	40-64075-54	11, 21
40-62127-53	17	40-64075-55	11, 21
40-62127-54	17	40-64075-56	11, 21
40-62128-53	10, 18	40-64075-57	11, 21
40-62128-54	10, 18	40-64075-58	11, 21
40-62128-55	10, 18	40-64075-59	11, 21
40-62128-56	10, 18	40-64080-50	11, 22
40-62130-50	10, 18	40-64080-51	11, 22
40-62130-51	10, 18	40-64080-52	11, 22
		40-64080-53	11, 22



INDEX

PART #	PAGE #	PART #	PAGE #
40-64080-56	11, 22	40-64094-54	12, 25
40-64080-57	11, 22	40-64094-55	12, 25
40-64080-58	11, 22	40-64094-56	12, 25
40-64080-59	11, 22	40-64094-57	12, 25
40-64081-5	22	40-64094-58	12, 25
40-64081-50	11, 22	40-64095-50	12, 25
40-64081-51	11, 22	40-64095-51	12, 25
40-64081-52	11, 22	40-64095-52	12, 25
40-64081-53	11, 22	40-64106-50	12, 26
40-64081-54	11, 22	40-64106-51	12, 26
40-64081-55	11	40-64106-52	12, 26
40-64081-56	11, 22	40-64106-53	12, 26
40-64081-57	11, 22	40-64106-54	12, 26
40-64082-50	11, 23	40-64106-55	12, 26
40-64082-51	11, 23	40-64106-56	12, 26
40-64082-52	11, 23	40-64106-57	12, 26
40-64084-5	11	40-64106-58	12, 26
40-64084-50	23	40-64115-50	12, 26
40-64084-51	11, 23	40-64115-51	12, 26
40-64084-52	11, 23	40-64115-52	12, 26
40-64084-53	11, 23	40-62128-52	18
40-64084-54	11, 23	42-62157-00	28
40-64084-55	11, 23	42-62157-01	28
40-64084-56	11, 23	42-62157-02	28
40-64089-50	11, 24	42-62157-03	28
40-64089-51	11, 24	42-62157-04	28
40-64089-52	11, 24	42-62157-05	28
40-64089-53	11, 24	44-64008-00	28
40-64089-54	11, 24	44-64008-01	28
40-64092-50	11, 24	44-64008-02	28
40-64092-51	11, 24	44-64008-03	28
40-64094-50	11, 25	44-64008-50	27
40-64094-51	12, 25	44-64008-51	27
40-64094-52	12, 25	44-64008-52	27
40-64094-53	12, 25	44-64008-53	27
		44-64008-54	27



INDEX

PART #	PAGE #
44-64009-00	28
44-64009-01	28
44-64009-02	28
44-64009-03	28

5

58-64105-13	27
58-64105-24	27

PART #	PAGE #
58-64105-34	27
58-64105-44	27
58-64105-90	27

A

AC101-708	2
AC101-711	2

Every driver deserves the best possible vehicle climate with MCC products

MCC provides exceptional performance in mobile climate comfort.



www.mcc-hvac.com

Member of MCC Group • Certified ISO 9001 and ISO 1 4001.
Specifications subject to change without notice. MCC is a registered trademark.